

1305 – 1090 West Georgia Street, Vancouver, BC, V6E 3V7
Phone: +1 604 685 9316 / Fax: +1 604 683 1585

NEWS RELEASE

July 23, 2024

SXG Extends Mineralization 450 m Down Dip at Golden Dyke Drills 3.4 m @ 53.7 g/t Au and 0.4 m @ 291.3 g/t Au at Rising Sun Fifth Rig Added to Project

Vancouver, Canada — Mawson Gold Limited ("Mawson" or the "Company") (TSXV:MAW) (Frankfurt:MXR) (PINKSHEETS: MWSNF) announces Southern Cross Gold Ltd. ("Southern Cross Gold" or "SXG") has released results from four diamond drill holes: SDDSC114W1, SDDSC120, SDDSC121 and SDDSC121W1, from the Rising Sun and Golden Dyke prospects at the 100%-owned Sunday Creek Gold-Antimony Project in Victoria (Figure 6).

Highlights:

- SDDSC121W1 drilled west to east at Rising Sun to extend the strike length of the NW-SE oriented veins sets ("rungs"). It intersected **six high-grade vein sets** and one previously unmodelled vein set. It included **eight assayed intervals of > 10 g/t Au (up to 558.0 g/t Au), and six assayed intervals > 5% Sb (up to 19.9% Sb)**. Selected highlights include:
 - **1.0 m @ 11.7 g/t AuEq** (3.1 g/t Au, 4.6% Sb) from 618.6 m, including:
 - **0.7 m @ 15.2 g/t AuEq** (2.8 g/t Au, 6.6% Sb) from 618.9 m
 - **0.4 m @ 311.3 g/t AuEq** (291.3 g/t Au, 10.6% Sb) from 622.6 m (new vein set defined)
 - **3.4 m @ 56.0 g/t AuEq** (53.7 g/t Au, 1.2% Sb) from 661.1 m, including:
 - **1.9 m @ 98.2 g/t AuEq** (94.7 g/t Au, 1.9% Sb) from 661.7 m
- Drillhole SDDSC120 drilled east to west across Rising Sun and beneath Golden Dyke, intersected five mineralised domains and discovered **a new mineralised vein set 450 m vertically down dip below previous drilling** at Golden Dyke, within a parallel mineralised zone (a new "golden ladder") in the footwall. Although of moderate grade, this very large step out is considered extremely encouraging as it shows, for the first time the mineral system continuing 450 m below the main historic mines on the project. Selected highlights include:
 - **2.7 m @ 6.1 g/t AuEq** (4.5 g/t Au, 0.8% Sb) from 600.4 m, including:
 - **0.9 m @ 12.9 g/t AuEq** (9.6 g/t Au, 1.7% Sb) from 602.1 m
 - **0.5 m @ 3.7 g/t AuEq** (3.7 g/t Au, 0.0% Sb) from 937.0 m (parallel zone in footwall)
- The fifth drill rig has arrived at site and is drilling at the Christina prospect located 500 m west of Golden Dyke. Eight drill holes on the project are currently being processed and analyzed, with five holes in progress.
- Mawson owns 96,590,910 shares of SXG (49.3%), valuing its stake at A\$211.5 million (C\$193.7 million) based on SXG's closing price on July 19, 2024 AEST.

Michael Hudson, Mawson Interim CEO and Executive Chairman, states: "Once again Sunday Creek delivers continued success on multiple fronts.

"Intersecting mineralisation 450 m down dip below Golden Dyke in a parallel structure speaks to the multiple opportunities to extend the volume of mineralisation down dip. Although moderate grade, this very large step shows, for the first time, the mineral system continuing 450 m below the main historic mines on the project. It also leads to further opportunities to multiple "golden ladder" host structures. Further drilling is of course required to demonstrate how the system will develop in these areas, which SXG are already undertaking. Given the success of the system getting better at depth in the adjacent Rising Sun and Apollo areas, we have high expectations.

"It is also encouraging to witness the success of the SDDSC121/121W1 drill pair confidently intersect high-grade mineralisation where predicted. This demonstrates the robustness of our geological model and the ability to increase ounces by targeting high-grade strike extensions of multiple vein sets. Additionally, the ability of the SXG team to monitor drill holes in real time and to make deviations to ensure holes are drilled to plan is also extremely positive.

"Now we have five rigs drilling at site, we look forward to more than doubling the metres drilled at Sunday Creek via the 60 km of drilling planned over the next year."

Drill Hole Discussion

Four drill holes (SDDSC114W1, 120, 121 and 121W1) are reported from the Rising Sun and Golden Dyke prospects (Figure 1 and Figure 2).

SDDSC120 was designed to drill within and parallel to the dyke/breccia host, at a high angle to mineralized vein sets, across Rising Sun and further west to test mineralization deep below Golden Dyke. This hole intersected five known mineralized domains within Rising Sun and one previously undrilled mineralized zone (**0.5 m @ 3.7 g/t AuEq from 937.0 m**) 450 m below previous drilling (SDDSC062) and 560 m below historic Golden Dyke workings. The footwall discovery was fortuitously tested earlier than planned as the hole exited the main dyke/breccia host sooner than expected.

Highlights from SDDSC120 include:

- **3.3 m @ 1.9 g/t AuEq** (1.3 g/t Au, 0.3% Sb) from 594.7 m, including:
 - **0.5 m @ 5.2 g/t AuEq** (3.6 g/t Au, 0.8% Sb) from 597.5 m
 - **0.4 m @ 9.0 g/t AuEq** (7.4 g/t Au, 0.9% Sb) from 600.4 m
- **2.7 m @ 6.1 g/t AuEq** (4.5 g/t Au, 0.8% Sb) from 600.4 m, including:
 - **0.9 m @ 12.9 g/t AuEq** (9.6 g/t Au, 1.7% Sb) from 602.1 m
- **0.6 m @ 4.5 g/t AuEq** (2.0 g/t Au, 1.3% Sb) from 621.3 m
- **10.3 m @ 1.5 g/t AuEq** (0.7 g/t Au, 0.4% Sb) from 639.0 m, including:
 - **0.3 m @ 7.6 g/t AuEq** (4.4 g/t Au, 1.7% Sb) from 642.4 m
- **0.5 m @ 3.7 g/t AuEq** (3.7 g/t Au, 0.0% Sb) from 937.0 m

SDDSC121 was designed to test the footwall position of two mineralized domains and deviated against plan resulting in the need to deflect the hole with daughter hole **SDDSC121W1**. The daughter wedge commenced at 550 m downhole and successfully intercepted and added strike continuity to seven high-grade vein sets including one previously undefined mineralized domain between RS40 and RS50 (**0.4 m @ 311.3 g/t AuEq (291.3 g/t Au, 10.6% Sb) from 622.6 m**) by an average of 15 metres. **SDDSC121W1** extended the RS50 high-grade core shape down plunge by 30m with **3.4 m @ 56.0 g/t AuEq (53.7 g/t Au, 1.2% Sb)** including **1.9 m @ 98.2 g/t AuEq** (estimated true width ("ETW") of 0.8 m) from 661.1 m (Figure 3 and Figure 4). The hole was drilled 68 m and 105 m down plunge respectively from SDDSC050 (7.0 m @ 8.0 g/t AuEq) and SDDSC107 (15.0 m @ 16.3 g/t Au Eq). SDDSC121W1 also contributed two further +100 g/t AuEq x m intercepts (at 2 m @ 1 g/t AuEq cutoff) bringing the cumulative total of +100 g/t AuEq x m intercepts to 43 at Sunday Creek.

Highlights from SDDSC121W1 include:

- **1.0 m @ 4.0 g/t AuEq** (1.3 g/t Au, 1.4% Sb) from 600.2 m, including:

- **0.4 m @ 5.7 g/t AuEq** (1.9 g/t Au, 2.0% Sb) from 600.4 m
- **0.2 m @ 36.5 g/t AuEq** (14.9 g/t Au, 11.5% Sb) from 613.2 m
- **1.0 m @ 11.7 g/t AuEq** (3.1 g/t Au, 4.6% Sb) from 618.6 m, including:
 - **0.7 m @ 15.2 g/t AuEq** (2.8 g/t Au, 6.6% Sb) from 618.9 m
- **0.4 m @ 311.3 g/t AuEq** (291.3 g/t Au, 10.6% Sb) from 622.6 m
- **4.6 m @ 1.1 g/t AuEq** (0.5 g/t Au, 0.4% Sb) from 628.5 m
 - **0.2 m @ 11.3 g/t AuEq** (6.3 g/t Au, 2.7% Sb) from 632.3 m
- **2.9 m @ 0.9 g/t AuEq** (0.4 g/t Au, 0.3% Sb) from 637.5 m
- **2.6 m @ 1.0 g/t AuEq** (0.3 g/t Au, 0.4% Sb) from 643.7 m
- **3.4 m @ 56.0 g/t AuEq** (53.7 g/t Au, 1.2% Sb) from 661.1 m, including:
 - **1.9 m @ 98.2 g/t AuEq** (94.7 g/t Au, 1.9% Sb) from 661.7 m
- **0.4 m @ 6.9 g/t AuEq** (1.9 g/t Au, 2.7% Sb) from 666.9 m
- **1.7 m @ 2.2 g/t AuEq** (1.4 g/t Au, 0.4% Sb) from 748.3 m
- **2.3 m @ 1.0 g/t AuEq** (0.4 g/t Au, 0.3% Sb) from 799.9 m
- **2.8 m @ 1.2 g/t AuEq** (1.0 g/t Au, 0.1% Sb) from 826.1 m
- **2.4 m @ 1.3 g/t AuEq** (0.8 g/t Au, 0.2% Sb) from 850.3 m
- **1.3 m @ 6.0 g/t AuEq** (6.0 g/t Au, 0.0% Sb) from 892.7 m, including:
 - **0.2 m @ 38.8 g/t AuEq** (38.7 g/t Au, 0.1% Sb) from 893.1 m
- **0.8 m @ 3.4 g/t AuEq** (3.4 g/t Au, 0.0% Sb) from 913.4

SDDSC114W1 was drilled to test the hanging wall location of several Rising Sun vein sets, however the hole deviated north away from the mineralized zone and only intercepted periphery/background mineralization of two vein sets (Figure 3).

Pending Results and Update

Eight holes (SDDSC122, 122W1, 123-127, 050W1) are currently being processed and analyzed, with five holes (SDDSC128-131, 050W2) in progress (Figure 1 and Figure 2).

About Sunday Creek

The Sunday Creek epizonal-style gold project is located 60 km north of Melbourne within 19,365 hectares of granted exploration tenements. SXG is also the freehold landholder of 133.29 hectares that form the key portion in and around the main drilled area at the Sunday Creek Project.

Gold and antimony form in a relay of vein sets that cut across a steeply dipping zone of intensely altered rocks (the “host”). When observed from above, the host resembles the side rails of a ladder, where the sub-vertical mineralised vein sets are the rungs that extend from surface to depth. At Apollo and Rising Sun these individual ‘rungs’ have been defined over 350 m depth extent from surface to 550 m below surface, are 10 m to 20 m wide, and 20 m to 100 m in strike.

Cumulatively, 126 drill holes for 55,027 have been reported by SXG (and Mawson Gold Ltd) from Sunday Creek since late 2020. An additional 10 holes for 439 m from Sunday Creek were abandoned due to deviation or hole conditions. Fourteen drillholes for 2,383 m have been reported regionally outside of the main Sunday Creek drill area. A total of 64 historic drill holes for 5,599 m were completed from the late 1960s to 2008. The project now contains a total of forty-three (43) >100 g/t AuEq * m and forty-nine (49) >50 to 100 g/t AuEq * m drill holes by applying a 2 m @ 1 g/t lower cut.

SXG’s systematic drill program is strategically targeting these significant vein formations, initially these have been defined over 1,350 m strike of the host from Christina to Apollo prospects, of which approximately 620 m has been more intensively drill tested (Rising Sun to Apollo). At least 50 ‘rungs’ have been defined to date,

defined by high-grade intercepts (20 g/t to >7,330 g/t Au) along with lower grade edges. Ongoing step-out drilling is aiming to uncover the potential extent of this mineralised system.

Geologically, the project is located within the Melbourne Structural Zone in the Lachlan Fold Belt. The regional host to the Sunday Creek mineralisation is an interbedded turbidite sequence of siltstones and minor sandstones metamorphosed to sub-greenschist facies and folded into a set of open north-west trending folds.

Further Information

Further discussion and analysis of the Sunday Creek project by Southern Cross Gold is available on the SXG website at www.southerncrossgold.com.au.

No upper gold grade cut is applied in the averaging and intervals are reported as drill thickness. During future Mineral Resource studies, the requirement for assay top cutting will be assessed.

Figures 1 to 6 show project location, plan and longitudinal views of drill results reported here and Tables 1 to 3 provide collar and assay data. The true thickness of the mineralized intervals reported individually as estimated true widths ("ETW"), otherwise they are interpreted to be approximately 55-65% of the sampled thickness for other reported holes. Lower grades were cut at 1.0 g/t AuEq lower cutoff over a maximum width of 2 m with higher grades cut at 5.0 g/t AuEq lower cutoff over a maximum of 1 m width unless specified.

Technical Background and Qualified Person

The Qualified Person, Michael Hudson, Executive Chairman and a director of Mawson Gold, and a Fellow of the Australasian Institute of Mining and Metallurgy, has reviewed, verified and approved the technical contents of this release.

Analytical samples are transported to the Bendigo facility of On Site Laboratory Services ("On Site") which operates under both an ISO 9001 and NATA quality systems. Samples were prepared and analyzed for gold using the fire assay technique (PE01S method; 25 gram charge), followed by measuring the gold in solution with flame AAS equipment. Samples for multi-element analysis (BM011 and over-range methods as required) use aqua regia digestion and ICP-MS analysis. The QA/QC program of Southern Cross Gold consists of the systematic insertion of certified standards of known gold content, blanks within interpreted mineralized rock and quarter core duplicates. In addition, On Site inserts blanks and standards into the analytical process.

MAW considers that both gold and antimony that are included in the gold equivalent calculation ("AuEq") have reasonable potential to be recovered at Sunday Creek, given current geochemical understanding, historic production statistics and geologically analogous mining operations. Historically, ore from Sunday Creek was treated onsite or shipped to the Costerfield mine, located 54 km to the northwest of the project, for processing during WW1. The Costerfield mine corridor, now owned by Mandalay Resources Ltd contains two million ounces of equivalent gold (Mandalay Q3 2021 Results), and in 2020 was the sixth highest-grade global underground mine and a top 5 global producer of antimony.

MAW considers that it is appropriate to adopt the same gold equivalent variables as Mandalay Resources Ltd in its [Mandalay Technical Report, 2024](#) dated March 28, 2024. The gold equivalence formula used by Mandalay Resources was calculated using Costerfield's 2023 production costs, using a gold price of US\$1,900 per ounce, an antimony price of US\$12,000 per tonne and 2023 total year metal recoveries of 94% for gold and 89% for antimony, and is as follows:

$$AuEq = Au (g/t) + 1.88 \times Sb (\%)$$

Based on the latest Costerfield calculation and given the similar geological styles and historic toll treatment of Sunday Creek mineralization at Costerfield, SXG considers that a $AuEq = Au (g/t) + 1.88 \times Sb (\%)$ is appropriate to use for the initial exploration targeting of gold-antimony mineralization at Sunday Creek.

About Mawson Gold Limited (TSXV:MAW, FRANKFURT:MXR, OTCPINK:MWSNF)

[Mawson Gold Limited](#) has distinguished itself as a leading Nordic exploration company. Over the last decades, the team behind Mawson has forged a long and successful record of discovering, financing, and advancing mineral projects in the Nordics and Australia. Mawson holds the Skellefteå North gold discovery and a portfolio of historic uranium resources in Sweden. Mawson also holds 49% of Southern Cross Gold Ltd. (ASX:SXG) which owns or controls two high-grade, historic epizonal goldfields in Victoria, Australia, including the exciting Sunday Creek Au-Sb discovery. On [June 10, 2024](#), Mawson announced the entering into a non-binding term sheet with SXG, contemplating the acquisition of SXG by Mawson through an Australian scheme of arrangement transaction.

About Southern Cross Gold Ltd (ASX:SXG)

[Southern Cross Gold](#) holds the 100%-owned Sunday Creek project in Victoria and Mt Isa project in Queensland, the Redcastle joint venture in Victoria, Australia, and a strategic 6.7% holding in ASX-listed Nagambie Resources Limited (ASX:NAG) which grants SXG a Right of First Refusal over a 3,300 square kilometer tenement package held by NAG in Victoria.

On behalf of the Board,

Further Information

www.mawsongold.com

"Michael Hudson"

Michael Hudson, Interim CEO and Executive Chairman

1305 – 1090 West Georgia St., Vancouver, BC, V6E 3V7

Mariana Bermudez (Canada), Corporate Secretary

+1 (604) 685 9316 info@mawsongold.com

Forward-Looking Statement

This news release contains forward-looking statements or forward-looking information within the meaning of applicable securities laws (collectively, "forward-looking statements"). All statements herein, other than statements of historical fact, are forward-looking statements. Although Mawson believes that such statements are reasonable, it can give no assurance that such expectations will prove to be correct. Forward-looking statements are typically identified by words such as: believe, expect, anticipate, intend, estimate, postulate, and similar expressions, or are those, which, by their nature, refer to future events. Mawson cautions investors that any forward-looking statements are not guarantees of future results or performance, and that actual results may differ materially from those in forward-looking statements as a result of various factors, including, Mawson's expectations regarding its ownership in Southern Cross Gold, capital and other costs varying significantly from estimates, changes in world metal markets, changes in equity markets, the potential impact of epidemics, pandemics or other public health crises on the Company's business, risks related to negative publicity with respect to the Company or the mining industry in general; exploration potential being conceptual in nature, there being insufficient exploration to define a mineral resource on the Australian-projects owned by SXG, and uncertainty if further exploration will result in the determination of a mineral resource; planned drill programs and results varying from expectations, delays in obtaining results, equipment failure, unexpected geological conditions, local community relations, dealings with non-governmental organizations, delays in operations due to permit grants, environmental and safety risks, and other risks and uncertainties disclosed under the heading "Risk Factors" in Mawson's most recent Annual Information Form filed on [SEDAR+](#). Any forward-looking statement speaks only as of the date on which it is made and, except as may be required by applicable securities laws, Mawson disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this news release.

Figure 1: Sunday Creek plan view showing selected results from SDDSC114W1, 120, 121, 121W1 reported here (blue highlighted box, orange trace), selected prior reported drill holes and pending holes.




Figure 2: Sunday Creek longitudinal section across A-B in the plane of the dyke breccia/ altered sediment host looking towards the north (striking 236 degrees) showing mineralized veins sets. Showing SDDSC114W1, 120, 121, 121W1 reported here (blue highlighted box, orange trace) with selected intersections and prior reported drill holes. Down dip extension 450 m below Golden Dyke is in a parallel host structure. For location refer to Figure 1.




Figure 3: Showing long section across C-D in the plane of the RS-50 (striking 136 degrees) vein set drilled by SDDSC114W1 (peripheral hit), 120 (peripheral hit) and 121W1 (hit into high grade domain) showing continuity of mineralization over a 565 m down dip distance. High grade domains shown in darker blue. Inset E-F shown in Figure 4. For location refer to Figure 1.




Figure 4: Showing inset referenced in Figure 3. Long section in the plane of the RS-50 High-Grade vein set core.




Figure 5: Sunday Creek regional plan view showing LiDAR, soil sampling, structural framework, regional historic epizonal gold mining areas and broad regional areas (Tonstal, Consols and Leviathan) tested by 12 holes for 2,383 m drill program. The regional drill areas are at Tonstal, Consols and Leviathan located 4,000-7,500 m along strike from the main drill area at Golden Dyke-Apollo.




Figure 6: Location of the Sunday Creek project, along with the Redcastle JV and simplified geology.




Table 1: Drill collar summary table for recent drill holes in progress.

Hole_ID	Depth (m)	Prospect	East GDA94_Z55	North GDA94_Z55	Elevation	Azimuth	Plunge
SDDSC111	496.7	Apollo	331291	5867823	316.8	270	-38
SDDSC112	490.9	Apollo	331464	5867865	333	267	-42
SDDSC112W1	766.4	Apollo	331329	5867859	200	267	-42
SDDSC113	905.5	Rising Sun	330511	5867853	296.6	67.5	-63.5
SDDSC114	878.6	Rising Sun	330464	5867914	286.6	82	-58
SDDSC115	17.6	Rising Sun	330464	5867912	286.6	83	-58.5
SDDSC115A	923.6	Rising Sun	330464	5867912	286.7	83	-59
SDDSC116	682.6	Rising Sun	331465	5867865	333.3	272.5	-41.5
SDDSC117	1101	Rising Sun	330510	5867852	296.5	70.5	-64.5
SDDSC118	1246	Rising Sun	330464	5867912	286.6	80	-64.5
SDDSC119	854.1	Apollo	331498	5867858	336.7	272.5	-45.2
SDDSC120	1022.5	Rising Sun	331110	5867976	319.5	266.5	-55
SDDSC121	588.7	Rising Sun	330510	5867852	296.6	72	-63
SDDSC122	889.89	Rising Sun	330338	5867860	267.7	74	-62
SDDSC114W1	625.1	Rising Sun	330464	5867914	286.6	82	-58
SDDSC119W1	643	Apollo	331498	5867858	336.7	272.5	-45.2
SDDSC123	124.3	Apollo	331499	5867859	337	276	-52
SDDSC124	969.3	Apollo	331499	5867859	337	274	-52.2
SDDSC121W1	953.4	Rising Sun	330510	5867852	296.6	72	-63.8
SDDSC125	551.7	Golden Dyke	330462	5867920	285.6	212	-68
SDDSC126	941.4	Rising Sun	330815	5867599	295.7	321.6	-54
SDDSC122W1	1007.8	Rising Sun	330338	5867860	276.5	72	-61.4
SDDSC050W1	797.1	Rising Sun	330539	5867885	295.3	77	-63
SDDSC127	483.2	Apollo	331498	5867858	336.9	271.3	-43.3
SDDSC128	In progress plan 840 m	Apollo	331465	5867867	333.1	272.6	-43.3
SDDSC129	In progress plan 1050 m	Rising Sun	330388	5867860	276.5	77.3	-57.3
SDDSC130	In progress plan 680 m	Golden Dyke	330777	5867891	295.9	255	-42
SDDSC050W2	In progress plan 798 m	Rising Sun	330539	5867885	295.3	77	-63
SDDSC131	In progress plan 240 m	Christina	330081	5867609	273.1	284	-47

Table 2: Tables of mineralized drill hole intersections reported from SDDSC120 and 121W1 (no intersections above cutoff for SDDSC114W1 and SDDSC121) using two cutoff criteria. Lower grades cut at 1.0 g/t AuEq lower cutoff over a maximum of 2 m with higher grades cut at 5.0 g/t AuEq cutoff over a maximum of 1 m.

Hole-ID	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq g/t
SDDSC120	594.68	597.98	3.3	1.3	0.3	1.9
including	597.52	597.98	0.46	3.6	0.8	5.2
including	600.35	600.71	0.36	7.4	0.9	9.0
SDDSC120	600.35	603.06	2.71	4.5	0.8	6.1
including	602.13	603.06	0.93	9.6	1.7	12.9
SDDSC120	621.25	621.9	0.65	2.0	1.3	4.5
SDDSC120	639	649.3	10.3	0.7	0.4	1.5
SDDSC120	667.3	669.62	2.32	0.7	0.1	0.9
SDDSC121W1	600.17	601.21	1.04	1.3	1.4	4.0
including	600.38	600.82	0.44	1.9	2.0	5.7
SDDSC121W1	613.21	613.41	0.2	14.9	11.5	36.5
SDDSC121W1	618.58	619.59	1.01	3.1	4.6	11.7
including	618.9	619.59	0.69	2.8	6.6	15.2
SDDSC121W1	622.6	623.02	0.42	291.3	10.6	311.3
SDDSC121W1	628.5	633.11	4.61	0.5	0.4	1.1
including	632.27	632.5	0.23	6.3	2.7	11.3
SDDSC121W1	637.54	640.45	2.91	0.4	0.3	0.9
SDDSC121W1	643.74	646.3	2.56	0.3	0.4	1.0
SDDSC121W1	661.1	664.46	3.36	53.7	1.2	56.0
including	661.69	663.59	1.9	94.7	1.9	98.2
SDDSC121W1	666.92	667.35	0.43	1.9	2.7	6.9
SDDSC121W1	748.27	749.95	1.68	1.4	0.4	2.2
SDDSC121W1	799.89	802.15	2.26	0.4	0.3	1.0
SDDSC121W1	826.09	828.85	2.76	1.0	0.1	1.2
SDDSC121W1	850.3	852.68	2.38	0.8	0.2	1.3
SDDSC121W1	892.65	893.98	1.33	6.0	0.0	6.0
including	893.09	893.25	0.16	38.7	0.1	38.8
SDDSC121W1	913.38	914.15	0.77	3.4	0.0	3.4

Table 3: All individual assays reported from SDDSC114W1, SDDSC120, SDDSC121 and SDDSC121W1 reported here >0.1g/t AuEq.

Hole-ID	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq g/t
SDDSC114W1	460.87	461.2	0.33	0.1	0.2	0.5
SDDSC114W1	478.1	479.4	1.3	0.1	0.0	0.2
SDDSC114W1	479.4	479.7	0.3	0.6	0.0	0.6
SDDSC114W1	493.4	493.92	0.52	0.1	0.0	0.1
SDDSC114W1	493.92	494.03	0.11	0.5	3.1	6.2
SDDSC114W1	494.03	494.34	0.31	0.3	0.0	0.4
SDDSC114W1	539	540	1	0.1	0.0	0.1
SDDSC114W1	568.71	568.92	0.21	0.1	0.0	0.1
SDDSC114W1	572	572.9	0.9	0.2	0.0	0.2
SDDSC114W1	572.9	573.14	0.24	2.8	0.7	4.0
SDDSC114W1	573.14	573.3	0.16	0.2	0.0	0.3
SDDSC114W1	573.3	574	0.7	0.1	0.0	0.1
SDDSC114W1	574	574.49	0.49	0.3	0.0	0.4
SDDSC114W1	577.42	577.85	0.43	0.4	0.0	0.4
SDDSC114W1	580.85	581.07	0.22	0.2	0.0	0.2
SDDSC114W1	581.07	581.92	0.85	0.2	0.0	0.2
SDDSC114W1	581.92	582.11	0.19	2.7	0.0	2.7
SDDSC114W1	582.11	582.9	0.79	0.9	0.0	0.9
SDDSC114W1	582.9	583.17	0.27	0.1	0.0	0.1
SDDSC114W1	599.5	600.73	1.23	0.1	0.0	0.1
SDDSC120	103.12	103.52	0.4	0.2	0.0	0.2
SDDSC120	527.6	528.6	1	0.1	0.0	0.1
SDDSC120	552.05	552.5	0.45	0.2	0.0	0.2
SDDSC120	552.5	553	0.5	0.1	0.0	0.1
SDDSC120	553.93	554.2	0.27	0.2	0.0	0.2
SDDSC120	562.55	562.85	0.3	0.1	0.0	0.1
SDDSC120	562.85	563	0.15	0.2	0.0	0.2
SDDSC120	563.65	563.82	0.17	0.6	0.7	1.9
SDDSC120	566.25	566.75	0.5	0.2	0.0	0.2
SDDSC120	568.51	569.2	0.69	0.2	0.0	0.2
SDDSC120	571.62	571.76	0.14	1.6	2.0	5.3
SDDSC120	572.27	572.97	0.7	0.2	0.0	0.2
SDDSC120	573.88	574.94	1.06	0.2	0.0	0.3
SDDSC120	574.94	575.53	0.59	0.5	0.0	0.5
SDDSC120	575.53	576.2	0.67	0.6	0.0	0.6
SDDSC120	576.2	577.09	0.89	0.6	0.0	0.6
SDDSC120	577.09	577.36	0.27	0.6	0.0	0.6
SDDSC120	577.36	578.03	0.67	0.3	0.0	0.3
SDDSC120	579.45	579.9	0.45	0.2	0.0	0.2

SDDSC120	579.9	580.25	0.35	0.2	0.0	0.2
SDDSC120	584.2	584.74	0.54	0.6	0.1	0.7
SDDSC120	592.07	593.03	0.96	0.2	0.0	0.2
SDDSC120	594.68	595.02	0.34	0.5	0.4	1.2
SDDSC120	595.02	595.32	0.3	2.5	1.3	5.0
SDDSC120	595.32	595.7	0.38	0.5	0.1	0.6
SDDSC120	595.7	596.7	1	0.1	0.0	0.1
SDDSC120	596.7	597	0.3	4.1	0.4	4.8
SDDSC120	597	597.52	0.52	0.1	0.0	0.2
SDDSC120	597.52	597.98	0.46	3.6	0.8	5.2
SDDSC120	597.98	598.6	0.62	0.2	0.1	0.3
SDDSC120	599.25	600.35	1.1	0.1	0.0	0.1
SDDSC120	600.35	600.71	0.36	7.4	0.9	9.0
SDDSC120	600.71	601	0.29	0.2	0.2	0.5
SDDSC120	601	601.37	0.37	0.8	0.6	2.0
SDDSC120	601.37	601.74	0.37	0.2	0.2	0.6
SDDSC120	601.74	602.13	0.39	0.2	0.1	0.3
SDDSC120	602.13	602.43	0.3	6.7	4.8	15.7
SDDSC120	602.43	602.73	0.3	0.1	0.1	0.2
SDDSC120	602.73	602.96	0.23	0.6	0.3	1.1
SDDSC120	602.96	603.06	0.1	68.0	0.9	69.6
SDDSC120	605.51	606.1	0.59	0.2	0.0	0.2
SDDSC120	609.57	609.87	0.3	0.3	0.0	0.3
SDDSC120	611.8	612.2	0.4	0.2	0.0	0.3
SDDSC120	612.2	612.68	0.48	0.7	0.0	0.7
SDDSC120	621.25	621.65	0.4	0.5	1.7	3.7
SDDSC120	621.65	621.9	0.25	4.5	0.7	5.8
SDDSC120	621.9	622.7	0.8	0.2	0.1	0.3
SDDSC120	625.3	625.8	0.5	0.2	0.5	1.2
SDDSC120	626.26	627	0.74	1.1	0.0	1.1
SDDSC120	627.6	627.95	0.35	1.4	0.0	1.4
SDDSC120	634.65	635.34	0.69	0.2	0.1	0.3
SDDSC120	636.75	637.25	0.5	0.2	0.2	0.6
SDDSC120	637.25	637.9	0.65	0.2	0.0	0.3
SDDSC120	639	639.7	0.7	1.1	0.2	1.4
SDDSC120	640.5	640.85	0.35	0.3	0.4	1.1
SDDSC120	640.85	641.7	0.85	0.1	0.1	0.2
SDDSC120	641.7	642	0.3	4.2	0.2	4.5
SDDSC120	642	642.4	0.4	0.5	0.3	1.0
SDDSC120	642.4	642.65	0.25	4.4	1.7	7.6
SDDSC120	642.65	643.06	0.41	0.2	0.3	0.8
SDDSC120	643.06	643.45	0.39	1.2	1.4	3.9
SDDSC120	643.45	643.8	0.35	0.5	1.8	3.9

SDDSC120	643.8	644.15	0.35	0.7	1.9	4.3
SDDSC120	644.15	644.45	0.3	0.2	0.2	0.5
SDDSC120	644.45	644.7	0.25	0.6	1.1	2.7
SDDSC120	644.7	644.97	0.27	0.2	0.2	0.7
SDDSC120	644.97	645.59	0.62	1.7	1.0	3.5
SDDSC120	646.1	646.4	0.3	0.2	0.0	0.3
SDDSC120	646.4	647	0.6	0.3	0.0	0.4
SDDSC120	647	647.3	0.3	3.0	0.3	3.6
SDDSC120	647.3	648.15	0.85	0.3	0.2	0.6
SDDSC120	649.05	649.3	0.25	0.6	0.5	1.5
SDDSC120	651.1	651.95	0.85	0.3	0.0	0.3
SDDSC120	651.95	652.25	0.3	0.6	0.1	0.8
SDDSC120	652.25	652.6	0.35	1.2	0.2	1.5
SDDSC120	652.6	653.6	1	0.5	0.0	0.5
SDDSC120	654.18	654.55	0.37	1.9	0.1	2.1
SDDSC120	654.55	655.2	0.65	0.1	0.0	0.2
SDDSC120	656.9	657.45	0.55	0.3	0.0	0.4
SDDSC120	667.3	667.85	0.55	1.8	0.3	2.3
SDDSC120	668.6	669.2	0.6	0.3	0.1	0.4
SDDSC120	669.2	669.62	0.42	0.9	0.3	1.4
SDDSC120	669.62	669.8	0.18	0.4	0.1	0.5
SDDSC120	693.1	694.1	1	0.3	0.0	0.3
SDDSC120	698.1	698.68	0.58	0.3	0.0	0.4
SDDSC120	698.68	699.08	0.4	0.3	0.2	0.6
SDDSC120	732.57	732.87	0.3	0.1	0.0	0.1
SDDSC120	732.87	733.12	0.25	0.1	0.0	0.1
SDDSC120	738	738.5	0.5	0.3	0.1	0.5
SDDSC120	738.5	738.84	0.34	0.4	0.0	0.5
SDDSC120	738.84	739.11	0.27	0.4	0.1	0.5
SDDSC120	739.11	740.14	1.03	0.5	0.0	0.6
SDDSC120	740.14	740.3	0.16	2.0	1.4	4.6
SDDSC120	740.3	740.56	0.26	0.9	0.0	1.0
SDDSC120	799.53	800.13	0.6	0.2	0.0	0.2
SDDSC120	916.85	917.43	0.58	0.2	0.0	0.2
SDDSC120	919.74	920.59	0.85	0.1	0.0	0.1
SDDSC120	920.59	921.07	0.48	0.1	0.0	0.1
SDDSC120	933.4	934.02	0.62	0.2	0.0	0.2
SDDSC120	934.02	934.5	0.48	0.1	0.0	0.1
SDDSC120	936.72	937.02	0.3	0.2	0.0	0.2
SDDSC120	937.02	937.52	0.5	3.7	0.0	3.7
SDDSC120	937.52	938.06	0.54	0.2	0.0	0.2
SDDSC120	938.06	938.26	0.2	0.1	0.0	0.2
SDDSC120	939.83	940.37	0.54	0.1	0.0	0.1

SDDSC120	959.8	960.1	0.3	0.1	0.0	0.1
SDDSC120	960.1	960.4	0.3	1.0	0.0	1.0
SDDSC120	960.4	960.7	0.3	0.1	0.0	0.1
SDDSC121	270	270.8	0.8	0.3	0.0	0.3
SDDSC121	271.4	272	0.6	0.5	0.0	0.5
SDDSC121	272	272.6	0.6	0.7	0.0	0.7
SDDSC121	272.6	272.9	0.3	0.5	0.0	0.5
SDDSC121	272.9	273.2	0.3	0.2	0.0	0.2
SDDSC121	273.2	274	0.8	0.4	0.0	0.4
SDDSC121	274	274.4	0.4	0.2	0.0	0.3
SDDSC121	274.4	275.13	0.73	0.1	0.0	0.2
SDDSC121	275.81	276.3	0.49	0.3	0.0	0.3
SDDSC121	276.96	277.58	0.62	0.4	0.0	0.4
SDDSC121	277.58	278.1	0.52	0.2	0.0	0.2
SDDSC121	278.1	279	0.9	0.3	0.0	0.3
SDDSC121	279	279.9	0.9	0.3	0.0	0.3
SDDSC121	279.9	280.06	0.16	0.1	0.0	0.1
SDDSC121	281.15	281.41	0.26	0.1	0.0	0.1
SDDSC121	281.41	281.84	0.43	0.3	0.0	0.3
SDDSC121	281.84	282.12	0.28	0.4	0.0	0.4
SDDSC121	282.12	282.47	0.35	0.3	0.0	0.3
SDDSC121	282.96	283.15	0.19	1.2	0.0	1.2
SDDSC121	284.32	284.63	0.31	0.4	0.0	0.4
SDDSC121	287	288	1	0.3	0.0	0.3
SDDSC121	288.45	288.82	0.37	0.3	0.0	0.3
SDDSC121	288.82	289.52	0.7	0.3	0.0	0.3
SDDSC121	289.52	290	0.48	0.2	0.0	0.3
SDDSC121	290	291	1	0.2	0.0	0.2
SDDSC121	291	291.54	0.54	0.3	0.0	0.3
SDDSC121	294.88	295.78	0.9	0.1	0.0	0.1
SDDSC121	298.88	299.3	0.42	0.2	0.0	0.2
SDDSC121	299.3	299.58	0.28	0.7	0.0	0.7
SDDSC121	299.58	299.85	0.27	1.7	0.0	1.8
SDDSC121	299.85	300.17	0.32	1.2	0.0	1.2
SDDSC121	300.17	300.55	0.38	0.4	0.0	0.4
SDDSC121	302.9	303.71	0.81	0.1	0.0	0.1
SDDSC121	306.97	307.5	0.53	0.4	0.0	0.4
SDDSC121	307.5	308.46	0.96	0.2	0.0	0.2
SDDSC121	310.7	310.88	0.18	0.3	0.0	0.3
SDDSC121	310.88	311.12	0.24	0.2	0.0	0.2
SDDSC121	311.12	311.6	0.48	0.1	0.0	0.1
SDDSC121	311.6	312.29	0.69	0.2	0.0	0.2
SDDSC121	312.29	313.18	0.89	0.2	0.0	0.2

SDDSC121	313.51	313.76	0.25	0.7	1.3	3.1
SDDSC121	314.04	314.27	0.23	0.2	0.0	0.2
SDDSC121	314.27	314.9	0.63	0.2	0.0	0.2
SDDSC121	314.9	315.63	0.73	0.4	0.0	0.4
SDDSC121	315.63	316.5	0.87	0.2	0.0	0.2
SDDSC121	316.5	317.37	0.87	0.1	0.0	0.1
SDDSC121	317.37	317.78	0.41	0.2	0.0	0.2
SDDSC121	317.78	318.52	0.74	0.3	0.0	0.3
SDDSC121	318.52	319.11	0.59	0.3	0.0	0.3
SDDSC121	319.11	319.31	0.2	0.3	0.0	0.3
SDDSC121	319.31	319.6	0.29	0.1	0.0	0.1
SDDSC121	319.6	319.94	0.34	0.8	0.0	0.8
SDDSC121	319.94	320.22	0.28	0.6	0.0	0.6
SDDSC121	320.22	320.62	0.4	0.4	0.0	0.4
SDDSC121	320.62	321	0.38	1.8	0.0	1.8
SDDSC121	321	321.75	0.75	0.1	0.0	0.1
SDDSC121	321.75	322.35	0.6	0.3	0.0	0.3
SDDSC121	323.81	324.1	0.29	0.1	0.0	0.1
SDDSC121	329	330	1	0.2	0.0	0.2
SDDSC121	342.27	342.45	0.18	0.4	0.0	0.4
SDDSC121	342.45	343.3	0.85	0.4	0.0	0.4
SDDSC121	343.3	344.53	1.23	0.3	0.0	0.3
SDDSC121	344.53	344.83	0.3	0.3	0.0	0.3
SDDSC121	344.83	345.22	0.39	0.4	0.0	0.4
SDDSC121	345.22	345.87	0.65	0.3	0.0	0.3
SDDSC121	345.87	346.45	0.58	0.3	0.0	0.3
SDDSC121	346.45	347.13	0.68	0.5	0.0	0.5
SDDSC121	347.13	347.57	0.44	0.1	0.0	0.1
SDDSC121	352.45	352.8	0.35	0.2	0.0	0.2
SDDSC121	369.75	370.05	0.3	0.5	0.0	0.5
SDDSC121	384.4	385	0.6	0.2	0.0	0.2
SDDSC121	411.14	411.36	0.22	0.2	0.0	0.2
SDDSC121	500.25	501.25	1	0.2	0.0	0.2
SDDSC121	501.25	502	0.75	0.2	0.0	0.2
SDDSC121	502	502.45	0.45	1.6	0.2	2.0
SDDSC121	502.45	503	0.55	2.0	0.1	2.2
SDDSC121	503	504	1	1.2	0.4	1.9
SDDSC121	504	505	1	0.2	0.0	0.3
SDDSC121	505	506	1	0.1	0.0	0.2
SDDSC121	508.6	508.8	0.2	0.3	0.0	0.3
SDDSC121	509.9	511	1.1	0.2	0.0	0.2
SDDSC121	511	512	1	0.1	0.0	0.1
SDDSC121	512	513	1	0.2	0.0	0.2

SDDSC121	513	514	1	0.1	0.0	0.1
SDDSC121	514	514.6	0.6	0.3	0.0	0.4
SDDSC121	514.6	514.9	0.3	0.6	0.0	0.6
SDDSC121	514.9	515.35	0.45	0.9	0.4	1.6
SDDSC121	515.35	516	0.65	0.1	0.0	0.1
SDDSC121	517.6	517.85	0.25	0.2	0.1	0.3
SDDSC121	518.8	519.7	0.9	0.5	0.2	0.9
SDDSC121	519.7	520.7	1	0.7	0.5	1.6
SDDSC121	520.7	521.8	1.1	0.4	0.0	0.4
SDDSC121	521.8	522.8	1	0.1	0.0	0.1
SDDSC121	522.8	523.8	1	0.1	0.0	0.1
SDDSC121	526	527	1	0.3	0.1	0.4
SDDSC121	530	531	1	0.9	0.1	1.1
SDDSC121	534.1	534.3	0.2	7.7	10.0	26.5
SDDSC121	539.9	540.7	0.8	0.3	0.3	0.8
SDDSC121	540.7	541.7	1	0.1	0.1	0.2
SDDSC121	546.15	546.93	0.78	0.3	0.0	0.4
SDDSC121	546.93	547.45	0.52	0.1	0.0	0.1
SDDSC121	548.48	548.65	0.17	0.2	0.0	0.3
SDDSC121	552.35	552.75	0.4	0.2	0.2	0.6
SDDSC121	552.75	553.75	1	0.1	0.0	0.1
SDDSC121	555.75	556.06	0.31	0.1	0.0	0.1
SDDSC121	556.06	556.22	0.16	3.4	0.0	3.4
SDDSC121	556.22	556.65	0.43	0.2	0.0	0.2
SDDSC121	556.65	557.09	0.44	0.4	0.3	1.0
SDDSC121	559.66	559.96	0.3	0.1	0.0	0.1
SDDSC121	574.33	574.44	0.11	0.3	0.0	0.3
SDDSC121	577.37	578.17	0.8	0.2	0.0	0.2
SDDSC121	586.6	586.75	0.15	0.6	0.3	1.1
SDDSC121W1	548.9	549.01	0.11	0.1	0.0	0.2
SDDSC121W1	552.19	552.76	0.57	0.1	0.0	0.1
SDDSC121W1	556.35	556.89	0.54	0.1	0.0	0.1
SDDSC121W1	556.89	557.21	0.32	0.2	0.0	0.2
SDDSC121W1	557.21	557.31	0.1	1.6	0.0	1.7
SDDSC121W1	557.31	557.67	0.36	0.1	0.0	0.1
SDDSC121W1	568	568.25	0.25	0.4	0.0	0.4
SDDSC121W1	575.05	575.17	0.12	0.2	0.0	0.3
SDDSC121W1	578.62	578.78	0.16	0.2	0.0	0.3
SDDSC121W1	578.78	579.03	0.25	0.2	0.0	0.2
SDDSC121W1	587.36	587.46	0.1	0.8	0.0	0.9
SDDSC121W1	597.9	598.3	0.4	0.3	0.1	0.4
SDDSC121W1	598.3	599.58	1.28	0.2	0.0	0.2
SDDSC121W1	599.58	600.17	0.59	0.1	0.0	0.2

SDDSC121W1	600.17	600.38	0.21	1.4	0.0	1.5
SDDSC121W1	600.38	600.82	0.44	1.9	2.0	5.7
SDDSC121W1	600.82	601.21	0.39	0.6	1.4	3.3
SDDSC121W1	601.21	601.57	0.36	0.1	0.0	0.1
SDDSC121W1	602.5	602.92	0.42	0.4	0.3	0.9
SDDSC121W1	604.5	605.01	0.51	0.1	0.0	0.2
SDDSC121W1	605.54	605.85	0.31	0.3	1.9	3.8
SDDSC121W1	605.85	606.25	0.4	0.1	0.0	0.1
SDDSC121W1	608.33	608.63	0.3	0.3	0.2	0.7
SDDSC121W1	608.96	609.23	0.27	0.1	0.2	0.4
SDDSC121W1	609.23	609.51	0.28	0.1	0.4	0.9
SDDSC121W1	610.67	611.57	0.9	0.1	0.0	0.1
SDDSC121W1	611.57	612.15	0.58	0.1	0.0	0.1
SDDSC121W1	613.21	613.41	0.2	14.9	11.5	36.5
SDDSC121W1	613.41	613.72	0.31	0.3	0.0	0.4
SDDSC121W1	616	616.36	0.36	0.7	0.2	0.9
SDDSC121W1	616.36	616.77	0.41	0.4	0.0	0.4
SDDSC121W1	616.77	617.08	0.31	0.1	0.0	0.1
SDDSC121W1	618.58	618.9	0.32	3.9	0.2	4.3
SDDSC121W1	618.9	619	0.1	16.9	19.9	54.3
SDDSC121W1	619	619.15	0.15	1.4	15.0	29.6
SDDSC121W1	619.49	619.59	0.1	0.3	3.0	5.9
SDDSC121W1	622.6	622.85	0.25	110.0	5.1	119.6
SDDSC121W1	622.85	623.02	0.17	558.0	18.8	593.3
SDDSC121W1	623.02	623.35	0.33	0.2	0.1	0.3
SDDSC121W1	623.35	623.81	0.46	0.1	0.0	0.1
SDDSC121W1	625.89	626.15	0.26	0.5	0.0	0.6
SDDSC121W1	628.1	628.2	0.1	0.1	2.3	4.5
SDDSC121W1	628.9	629.1	0.2	0.1	0.8	1.6
SDDSC121W1	629.34	629.45	0.11	0.1	0.8	1.5
SDDSC121W1	631	631.25	0.25	0.5	0.7	1.8
SDDSC121W1	631.25	631.55	0.3	0.6	1.2	2.9
SDDSC121W1	631.55	631.75	0.2	0.8	0.6	1.9
SDDSC121W1	631.75	632.27	0.52	0.2	0.1	0.3
SDDSC121W1	632.27	632.5	0.23	6.3	2.7	11.3
SDDSC121W1	632.5	633.01	0.51	0.1	0.0	0.1
SDDSC121W1	633.01	633.11	0.1	0.5	0.7	1.8
SDDSC121W1	633.11	633.41	0.3	0.2	0.2	0.6
SDDSC121W1	633.41	634	0.59	0.1	0.1	0.2
SDDSC121W1	635.1	635.2	0.1	0.2	0.1	0.3
SDDSC121W1	636	636.63	0.63	0.3	0.4	1.0
SDDSC121W1	636.63	637.54	0.91	0.1	0.0	0.1
SDDSC121W1	637.54	637.64	0.1	0.0	0.8	1.4

SDDSC121W1	637.64	638	0.36	0.1	0.0	0.1
SDDSC121W1	638	638.37	0.37	0.4	0.4	1.1
SDDSC121W1	638.37	638.7	0.33	0.2	0.1	0.4
SDDSC121W1	638.7	638.91	0.21	3.2	0.7	4.5
SDDSC121W1	639.9	640.45	0.55	0.4	0.6	1.6
SDDSC121W1	640.45	640.95	0.5	0.1	0.0	0.1
SDDSC121W1	640.95	641.15	0.2	0.9	0.0	0.9
SDDSC121W1	641.15	641.45	0.3	0.1	0.1	0.2
SDDSC121W1	641.45	641.88	0.43	0.1	0.0	0.2
SDDSC121W1	641.88	642.78	0.9	0.1	0.0	0.1
SDDSC121W1	642.78	643.33	0.55	0.3	0.3	0.8
SDDSC121W1	643.74	644	0.26	0.6	0.9	2.3
SDDSC121W1	644	644.3	0.3	0.5	1.0	2.4
SDDSC121W1	644.3	644.6	0.3	0.3	0.2	0.7
SDDSC121W1	644.6	645.02	0.42	0.2	0.3	0.7
SDDSC121W1	645.02	646.1	1.08	0.1	0.1	0.2
SDDSC121W1	646.1	646.3	0.2	0.5	0.9	2.2
SDDSC121W1	646.3	647.02	0.72	0.1	0.0	0.1
SDDSC121W1	647.02	647.47	0.45	0.3	0.2	0.7
SDDSC121W1	648.95	649.27	0.32	0.2	0.0	0.2
SDDSC121W1	652	652.27	0.27	0.2	0.0	0.2
SDDSC121W1	653.38	654.29	0.91	0.2	0.1	0.4
SDDSC121W1	654.29	654.42	0.13	0.6	0.0	0.6
SDDSC121W1	655.24	655.42	0.18	0.9	0.1	1.0
SDDSC121W1	660.91	661.1	0.19	0.1	0.0	0.1
SDDSC121W1	661.1	661.35	0.25	0.4	0.9	2.0
SDDSC121W1	661.35	661.69	0.34	0.9	0.6	2.0
SDDSC121W1	661.69	662	0.31	78.3	3.3	84.5
SDDSC121W1	662	662.31	0.31	404.0	3.3	410.2
SDDSC121W1	662.31	662.64	0.33	91.3	1.4	93.8
SDDSC121W1	662.64	663.28	0.64	0.3	0.2	0.6
SDDSC121W1	663.28	663.42	0.14	0.2	0.2	0.7
SDDSC121W1	663.42	663.59	0.17	0.5	5.0	9.9
SDDSC121W1	663.59	664.21	0.62	0.1	0.2	0.4
SDDSC121W1	664.21	664.46	0.25	0.2	0.6	1.3
SDDSC121W1	664.46	664.87	0.41	0.2	0.1	0.3
SDDSC121W1	664.87	665.32	0.45	0.1	0.2	0.4
SDDSC121W1	665.32	665.75	0.43	0.1	0.0	0.1
SDDSC121W1	665.75	666	0.25	0.1	0.0	0.1
SDDSC121W1	666	666.38	0.38	0.1	0.0	0.1
SDDSC121W1	666.38	666.92	0.54	0.2	0.1	0.4
SDDSC121W1	666.92	667.35	0.43	1.9	2.7	6.9
SDDSC121W1	667.35	667.73	0.38	0.1	0.1	0.2

SDDSC121W1	670.18	670.54	0.36	0.1	0.2	0.5
SDDSC121W1	699.73	700.65	0.92	0.2	0.0	0.2
SDDSC121W1	700.65	701.15	0.5	0.2	0.0	0.3
SDDSC121W1	708.26	708.53	0.27	0.9	0.0	1.0
SDDSC121W1	708.53	708.72	0.19	0.1	0.0	0.1
SDDSC121W1	712.46	712.89	0.43	0.5	0.0	0.5
SDDSC121W1	713.2	714.5	1.3	0.3	0.0	0.3
SDDSC121W1	714.5	714.88	0.38	0.1	0.0	0.1
SDDSC121W1	715.18	715.93	0.75	0.2	0.0	0.2
SDDSC121W1	725.65	725.82	0.17	4.4	0.0	4.5
SDDSC121W1	731.21	731.7	0.49	0.1	0.0	0.1
SDDSC121W1	732.9	733.34	0.44	0.1	0.1	0.3
SDDSC121W1	733.34	733.54	0.2	0.2	0.0	0.2
SDDSC121W1	738.65	739.27	0.62	0.2	0.0	0.2
SDDSC121W1	748.02	748.27	0.25	0.5	0.0	0.6
SDDSC121W1	748.27	748.5	0.23	0.7	0.3	1.2
SDDSC121W1	748.5	748.65	0.15	0.3	0.0	0.3
SDDSC121W1	748.65	749.09	0.44	0.5	0.8	1.9
SDDSC121W1	749.09	749.4	0.31	0.1	0.1	0.2
SDDSC121W1	749.4	749.6	0.2	3.4	0.2	3.8
SDDSC121W1	749.6	749.95	0.35	3.5	0.7	4.8
SDDSC121W1	749.95	750.55	0.6	0.1	0.1	0.3
SDDSC121W1	752.7	753	0.3	0.6	0.1	0.7
SDDSC121W1	753	754.02	1.02	0.2	0.0	0.2
SDDSC121W1	756.27	756.76	0.49	0.2	0.0	0.2
SDDSC121W1	758	758.15	0.15	0.0	0.0	0.1
SDDSC121W1	766.44	766.62	0.18	0.1	0.0	0.1
SDDSC121W1	766.62	767.22	0.6	0.1	0.0	0.1
SDDSC121W1	776.3	776.6	0.3	0.2	0.0	0.2
SDDSC121W1	780.22	780.6	0.38	0.2	0.0	0.2
SDDSC121W1	780.6	780.92	0.32	0.1	0.0	0.1
SDDSC121W1	783.11	783.89	0.78	0.5	0.0	0.5
SDDSC121W1	790.47	791.25	0.78	0.2	0.0	0.2
SDDSC121W1	797.5	798	0.5	0.1	0.0	0.1
SDDSC121W1	798.91	799.48	0.57	0.2	0.1	0.4
SDDSC121W1	799.48	799.58	0.1	0.2	0.0	0.2
SDDSC121W1	799.89	800.43	0.54	0.5	0.4	1.1
SDDSC121W1	800.43	801.07	0.64	0.6	0.4	1.3
SDDSC121W1	801.37	801.92	0.55	0.2	0.1	0.4
SDDSC121W1	801.92	802.15	0.23	0.3	1.2	2.7
SDDSC121W1	802.94	803.4	0.46	0.1	0.0	0.2
SDDSC121W1	812.4	812.92	0.52	1.1	0.0	1.1
SDDSC121W1	813.98	814.22	0.24	0.4	0.0	0.5

SDDSC121W1	814.22	814.63	0.41	0.1	0.0	0.1
SDDSC121W1	814.63	815.05	0.42	0.1	0.0	0.1
SDDSC121W1	815.05	815.42	0.37	0.4	0.0	0.4
SDDSC121W1	815.42	815.92	0.5	0.5	0.0	0.5
SDDSC121W1	815.92	816.05	0.13	1.0	0.0	1.0
SDDSC121W1	816.05	816.52	0.47	0.5	0.0	0.5
SDDSC121W1	816.52	817.19	0.67	0.1	0.0	0.1
SDDSC121W1	818.91	819.39	0.48	0.2	0.0	0.3
SDDSC121W1	819.39	819.65	0.26	0.4	0.0	0.4
SDDSC121W1	819.65	819.99	0.34	0.5	0.0	0.5
SDDSC121W1	819.99	820.49	0.5	0.9	0.0	0.9
SDDSC121W1	820.49	820.65	0.16	0.4	0.0	0.4
SDDSC121W1	820.65	821.31	0.66	0.6	0.0	0.6
SDDSC121W1	821.31	821.41	0.1	1.1	0.0	1.2
SDDSC121W1	821.41	822.2	0.79	1.3	0.0	1.3
SDDSC121W1	822.2	822.89	0.69	0.4	0.0	0.4
SDDSC121W1	822.89	823.16	0.27	0.7	0.2	1.1
SDDSC121W1	823.16	823.65	0.49	0.4	0.1	0.5
SDDSC121W1	823.65	824.43	0.78	0.1	0.0	0.2
SDDSC121W1	824.43	824.88	0.45	0.2	0.0	0.2
SDDSC121W1	825.73	826.09	0.36	0.2	0.0	0.2
SDDSC121W1	826.09	827.16	1.07	1.3	0.0	1.3
SDDSC121W1	827.16	828.03	0.87	0.2	0.0	0.2
SDDSC121W1	828.03	828.49	0.46	1.7	0.3	2.3
SDDSC121W1	828.49	828.85	0.36	1.2	0.3	1.8
SDDSC121W1	828.85	829.3	0.45	0.5	0.0	0.5
SDDSC121W1	839	840	1	0.2	0.0	0.2
SDDSC121W1	846	846.75	0.75	0.2	0.0	0.2
SDDSC121W1	846.87	847.51	0.64	0.1	0.0	0.1
SDDSC121W1	849.12	850.3	1.18	0.2	0.0	0.2
SDDSC121W1	850.3	850.48	0.18	1.5	0.0	1.5
SDDSC121W1	850.48	850.95	0.47	0.6	0.2	1.0
SDDSC121W1	850.95	851.44	0.49	0.4	0.3	0.9
SDDSC121W1	851.44	851.78	0.34	0.6	0.0	0.6
SDDSC121W1	851.78	852.09	0.31	1.9	0.3	2.4
SDDSC121W1	852.09	852.34	0.25	0.9	0.5	1.8
SDDSC121W1	852.34	852.68	0.34	0.7	0.3	1.3
SDDSC121W1	852.68	853	0.32	0.2	0.0	0.2
SDDSC121W1	853	853.33	0.33	0.2	0.0	0.2
SDDSC121W1	871	871.51	0.51	0.1	0.0	0.1
SDDSC121W1	871.51	872.44	0.93	0.2	0.0	0.2
SDDSC121W1	872.44	872.78	0.34	1.1	0.0	1.1
SDDSC121W1	872.78	873.18	0.4	0.2	0.0	0.2

SDDSC121W1	887	887.93	0.93	0.2	0.0	0.2
SDDSC121W1	887.93	888.26	0.33	1.1	0.4	1.8
SDDSC121W1	888.26	888.58	0.32	0.1	0.0	0.2
SDDSC121W1	888.58	888.75	0.17	0.5	0.0	0.5
SDDSC121W1	888.75	889.6	0.85	0.2	0.0	0.2
SDDSC121W1	889.6	889.76	0.16	1.0	0.0	1.0
SDDSC121W1	889.76	890.37	0.61	0.2	0.0	0.2
SDDSC121W1	891.65	892.65	1	0.4	0.0	0.4
SDDSC121W1	892.65	892.88	0.23	2.0	0.0	2.0
SDDSC121W1	892.88	893.09	0.21	3.4	0.0	3.4
SDDSC121W1	893.09	893.25	0.16	38.7	0.1	38.8
SDDSC121W1	893.25	893.69	0.44	0.4	0.0	0.5
SDDSC121W1	893.69	893.98	0.29	1.4	0.0	1.4
SDDSC121W1	895	895.52	0.52	0.5	0.0	0.5
SDDSC121W1	905	906	1	0.5	0.0	0.5
SDDSC121W1	906	906.42	0.42	0.1	0.0	0.2
SDDSC121W1	906.42	907.19	0.77	0.8	0.0	0.8
SDDSC121W1	907.19	907.9	0.71	0.8	0.0	0.9
SDDSC121W1	910.61	910.82	0.21	0.4	0.0	0.4
SDDSC121W1	913	913.38	0.38	0.3	0.0	0.3
SDDSC121W1	913.38	914	0.62	3.9	0.0	3.9
SDDSC121W1	914	914.15	0.15	1.1	0.0	1.1